



# 2Furious™

## Physical Properties

	<u>2Furious</u>
Color:	Victory Red/Daytona Blue
Coverstock:	R2S™ Solid Reactive
Weight Block:	N.O.S.™
Ball Finish:	2000-grit Abralon®
Logos:	2Furious, CG, Storm, Oval Bolt
Durometer:	74-76
Flare Potential:	4" - 5" (Medium-High)
Fragrance:	Cherry
Available Weights:	10-16 lbs.

Ball Weight	Radius of Gyration	Differential
16 lbs.	2.53	.044
15 lbs.	2.53	.045
14 lbs.	2.59	.043
13 lbs.	2.68	.018
12 lbs.	2.70	.021



### Resurfacing Method:

Follow the steps below to take the ball back to "out of the box" condition. Items needed: 500-grit Abralon pad, 2000-grit Abralon pad, a ball spinner and water. All sanding should be done on four sides of the ball. Side one-center of grip up, flip the ball 180 degrees for side two, turn 90 degrees for side three and flip another 180 degrees for side four.

1. Using the 500-grit Abralon pad, sand the ball for 15 seconds on each side.
2. Using the 2000-grit Abralon pad, sand the ball for 60 seconds each side.

### Suggested Maintenance:

Storm suggests using Reacta Clean™ Reactive Bowling Ball Cleaner to clean your bowling ball after every bowling session.

To touch up the surface, skip step 1 and just use step 2. Storm suggests using step 2 every 20-30 games and both steps every 50-60 games. This will increase longevity and create a more consistent reaction for your new Storm bowling ball.

