




Roto Grip was the leader in bowling ball innovation in the late 1960's through the 1970's, setting the standard and paving the way for the future of bowling.

THAT WAS THEN...

THIS IS



The SD73 features a coverstock that is so aggressive, it is not allowed on the PBA Tour. Combining this coverstock with a low RG weight block that pushes the ABC limits of differential, this intense ball outperforms the competition hands down. Although this ball is near the ABC limitations, rest assured it is ABC accepted and legal for all ABC Sanctioned events.

SPECIFICATIONS

Factory finish - Wet Sanded 400-grit and then polished to 1500-grit. • Radius of Gyration - 2.500 (Low) • Differential - .073 (Very High) • Hook Potential - 20 on a scale of 1 - 20 • Track Flare Potential - 9 Inches • Length - 5 on a scale of 1 - 10 • Back End - 10 on a scale of 1 - 10 • Cover Stock - Sure Grip™ • Weight Block - High density cylinder with "flip" block • D- Scale - 73 to 75 • Color - Vintage Grape • Available Weights - 10 - 16 Pounds • Logos - Roto Grip, SD73, "Star" Center of Gravity

The HRG3 is a high RG technology and aggressive dynamic performance cha

SPECIFICATIONS

Factory finish - Wet Sanded 400-grit and then polished to 1500-grit • Radius of Gyration - 2.500 (High) • Differential - .073 (Very High) • Hook Potential - 11 on a scale of 1 - 20 • Track Flare Potential - 3 Inches • Length - 9 on a scale of 1 - 10 • Cover Stock - Sure Grip™ • Weight Block - 4-piece multi-density cylinder with "flip" block • D- Scale - 75 to 78 • Available Weights - 10 - 16 Pounds • Logos - Roto Grip, HRG3, "Star" Center of Gravity



5 NOW!



ball with triple flip block
ve coverstock that gives
characteristics at a value price.

SPECIFICATIONS

Sanded 400-grit and then
radius of Gyration - 2.634
006 (very low) • Hook
- 20 • Track Flare Potential
scale of 1 - 10 • Back End - 5
Stock - Sure Grip™ • Weight
y core • Color - Teal Pearl •
le Weights - 10 - 16 Pounds
3, "Star" Center of Gravity

To finish this powerful compilation we add the XLR8. With the use of the all new "Rotary" high torque core, the XLR8 shows highly aggressive performance characteristics for an intermediate price. Matching the new "Rotary" core with ROTO GRIP's Sure Grip™ coverstock provides a smooth transition from the oil to the dry and a forceful drive through the pins.

SPECIFICATIONS

Factory finish - Wet Sanded 400-grit and then polished to 1500-grit • Radius of Gyration - 2.55 (medium) • Differential - .042 (medium) • Hook Potential - 16.5 on a scale of 1 - 20 • Track Flare Potential - 5 Inches • Length - 6 on a scale of 1 - 10 • Back End - 7.5 on a scale of 1 - 10 • Cover Stock - Sure Grip™ • Weight Block - 2-piece Rotary high torque core • Color - Blue w/ white phasing • D-Scale - 75 to 78 • Available Weights - 10 - 16 Pounds • Logos - Roto Grip, XLR8, "Star" Center of Gravity



Roto Grip Signature Shirts




Sizes: Sm.-Med.-Lg.-XLg.-XXLg.

Roto Grip Towels



Size: 17in. x 26in.

DISTRIBUTED BY:



Roto Grip Inc.
165 West Patterson Ave. • Ogden, UT. 84401
Phone: 435.723.9545 • Fax: 435.723.9375