

Part Number

60-104584-93X Coverstock

Reactive

Color: Black Pearl/Ivory

Hardness: 78-79 **Factory Finish**

High Gloss Polish **Available Weights**

12-16 Pounds

Core Dynamics

RG-max: 2.539 RG-min: 2.497 RG-diff.: 0.042 Average RG: 3.4

Performance


Hook Potential: 115

Length: 120

Typical Breakpoint Shape: 80

Chart Position:





Reaction Characteristics

The **Smokin' Inferno-White Pin** is a lower hook potential version of the Smokin' Inferno. More mid-lane length and a smoother break point make the Smokin' Inferno-White Pin a good matchup for medium to medium-dry lane conditions.

Utility

- •Out of the Box: With its High Gloss Polish finish the Smokin' Inferno-White Pin will match up well on medium to medium-dry conditions.
- •When dulled: The **Smokin' Inferno-White Pin's** hooking action will increase and its arc will become more even, creating a better match-up for oily lane conditions and help blend the over/under reactions seen on wet/dry lane conditions...

Reaction Setup

The Smokin' Inferno-White Pin can be drilled using the standard drilling techniques developed for two-piece balls, see the included drilling instructions for reaction characteristics and layout details.

The Smokin' Inferno is finished with *Brunswick's Factory Finish High Gloss Polish*. To bring your Smokin' Inferno-White Pin back to its original factory finish sand the surface to 400-grit then use Brunswick's *Factory Finish High Gloss Polish*. Available from your local Pro Shop.

Brunswick Smokin' Inferno - White Pin - Reactive

Maintaining Your Ball Reaction

Brunswick recommends the following procedures to maintain and restore your Brunswick ball's reaction characteristics:

- --Clean your Brunswick ball with Brunswick Remove All or similar ball cleaner after every use to reduce oil absorption.
- --If you think your Brunswick ball has lost some of its "Out of the Box" reaction, restore the ball to its original factory finish listed on the product information sheet. This is especially important for balls that are highly sanded or polished. Sand to 400-grit then use *Brunswick's Factory Finish High Gloss Polish* to restore the original factory finish on high gloss polish balls. Sand to 220-grit then use *Brunswick's Factory Finish Rough Buff* to restore the original factory finish on rough buff balls. For dull balls, wet sand with the sandpaper listed on the product information sheet.
- --If there is a visible track on your ball have your Proshop use a Haas or similar resurfacing machine to remove the track then restore the ball to its original factory finish. This service is available, for a fee, at many Pro Shops
- --If after restoring the original factory finish you feel your Brunswick ball has still lost some of its hooking action, remove the oil from the ball by gently warming it with either the *Revivor* or *Rejuvenator* Pro Shop devices that have been designed for this purpose. This service is available, for a fee, at many Pro Shops. Brunswick's testing has shown that by combining the restoration of the factory finish, resurfacing of the track and oil removal your Brunswick ball can maintain its original "Out of the Box" reaction for hundreds of games.
- --Absorbent materials sold by other bowling ball manufactures to remove oil can also be used on Brunswick bowling balls. Information to date seems to indicate that absorbent materials have a more limited ability to remove oil than warming, so you may be disappointed with results on heavily oil soaked balls.

Note: Oil soaked balls tend to traction less in the oil and respond less to the dry boards on the lane. If you are matching-up using an oil soaked ball on wet/dry or broken down lane conditions, removing the oil from the ball will significantly change your match-up and possibly create undesirable over reactions.

Ball Comparisons

Want to compare the performance of this ball to other Brunswick balls? Go to our website at www.brunswickbowling.com. Click on Balls, then click on Pro Shop Information. This page contains a link to the Brunswick Ball Comparison Chart. This chart allows you to see, at a glance, the performance of all Brunswick balls relative to each other, defined by their Hook Potential and Arc Characteristics. There's even an essay to help explain and guide you through the chart.

Lightweight Engineering

At Brunswick the unique core shape of each individual ball is used for all weights from 12 to 16 pounds. This approach to lightweight ball engineering is unique in the industry and provides bowlers with consistent ball reaction characteristics across this weight range. This approach also allows Pro Shops to drill lighter weight balls using the same layout techniques as heavier balls with confidence that the lighter ball doesn't need special drilling instructions due to the core shape being different.

| Weight | 16# | 15# | 14# | 13# | 12# | 11# | 10# |
|------------|-------|-------|-------|-------|-------|------------------|------------------|
| Core Shape | | | | | | Not Available | Not Available |
| RG-max. | 2.539 | 2.555 | 2.576 | 2.666 | 2.713 | | |
| RG-min. | 2.497 | 2.513 | 2.535 | 2.625 | 2.672 | | |
| RG-diff. | 0.042 | 0.042 | 0.041 | 0.041 | 0.041 | | |