BOWLING CATALOG 2017-2018



ABS International Corp. www.abs300.com

www.absbowling.co.jp







PATURAL ENEMIES

BALLS 2017-2018















JUPITER



MARS





VENUS









		Coverstock	Core	Finish	RG	△RG	Inter Diff	Hardness	Weights
	NEPTUNE	GX 8.5		500Polish					
N.	MERCURY	GX 8.0	Modified	600Polish					10.16
	JUPITER	GX 7.5	Premium	1,000Polish	2.480	0.046	0.011	74	10-16 lbs
	VENUS	GX 7.0	Core	3,000Polish					103
	MARS	GX 6.5		10,000Polish					



Hardness 74°-76° Inter Diff 0.000 Weights 11-16lbs







PURE ROLL NANODESU

Coverstock Premium Pure Urethane With Nano/fullereneC60 Core Modified VVI core With Magnet Finish 1000. 3000 Diamond Polish RG 2.460 ARG 0.060

Hardness 74°-76° Inter Diff 0.020 Weights 12-16lbs





Daisuke Tasaka





Blue



MATROUS

Black / Blue / Bronze



Coverstock Boost/R Core Nitrous Finish 5500/2000 Abralon Polished RG 2.550 ARG 0.033

74°-76° nter Diff 0.000 thts 10-15lbs





TYRANT PEARL

Coverstock Reflex Pearl HST

Core Tyrant

Finish RED (500/1000 Abralon Polish) BLUE (500/1000/4000 Abralon)

RG 2.480 △RG 0.056 Hardness 74°-76° Inter Diff 0.011 Weights 14-16lbs



Made in U.S.A



Red

Coverstock Polyester



WHITE DOT

Hardness 80°-83°



Pink / Black (9-15lbs)

Patriot (9-15lbs)







Coverstock QR-10 Solid Core mako Finish 500 / 2000 Abralon RG 2.480 ARG 0.053

Hardness 74°-76° Inter Diff 0.014 Weights 12-16lbs

Made in U.S.A



RATURAL ENEMIES





KILLER SHARK 2

Coverstock LCD-73(Low Crosslink Density)
Core Modified Smack Down

Finish 500, 800, 1000 Polished

RG 2.500 ΔRG 0.055 Hardness 74°-76° Inter Diff 0.005 Weights 10-16lbs

Made in U.S.A





Hidekazu Wada

MOTIV



UNITED REVOLT

Yoshimi Kitaoka

Coverstock Helix HFP Reactive
Core Vanquish
Finish 5000 Grit LSP
RG 2.470 ARG 0.056
Hardness 74°-76°
Inter Diff 0.000

Weights 12-16lbs

Made in U.S.A





900 GLOBAL





Sanae Mori

Naoharu Okabe

INCEPTION PEARL

Coverstock S74R Pearl Core Adaptor/D Asymmetric Finish 1500 Grit Polished

Hardness 74°-76° Inter Diff 0.024 Weights 14-16lbs

Made in U.S.A







BOOST

Core Launch Sym Finish 2000 Grit Polished RG 2.540 △RG 0.043

Hardness 74°-76° Weights 10-16lbs Made in U.S.A







Coverstock S43 Solid

Purple/Blue Coverstock S43 Pearl

Blue/Cream

Coverstock S43 Hybrid

Red/Cream Coverstock S43 Hybrid







INVADER NEO

Coverstock XG77 Solid Reactive Core Trailblazer Symmetrical Core Finish 1500 Grit Polished

RG 2.470 △RG 0.055 Hardness 74°-76° Inter Diff 0.000 Weights 12-16lbs

Made in U.S.A







Multi Blue

(12-16lbs)

Multi Pink

(12-16lbs)

Multi Black

(12-16lbs)

BAGS 2017-2018



ΔBS		Production Number	B17-2400	B17-2200	B17-1600	B17-1400	TB-1630	TB-520	B17-1280	B17-1180	UB-880	R17-850	B17-140	B17-330	B17-310	B17-220	B17-105	B17-300P	B17-360NP	B17-190
Features &	Options	Page Reference	Р	Р	P 10	Р	Р	Р	Р	Р	-	P F	P F		Р	Р	Р	Р	₽ P	P 18
Outside Pocket Useful pocket for accessories	Shoe Storage Protects your shoes and			•	•	•	•									•				
attached to the outside of the bag	keeps the bag clean.	99	•	•	•	•	•			•			•		•					•
Air Vents Allows for excellent ventilation and air circulation to help prevent odor and	Waist Pad Added comfort and support.	5	•	•	•	•	•													
Foam Insulation	Name Card Pocket NAME				•	•														
Special foam inner lining.	Personalize with your name by inserting a card with the appropriate lettering.	NAME	•	•	•	•	•													
Rubber Handle Very useful when carrying and picking	See-Through Allows to see the inside without	Ú	•	•	•	•	•													
up.	inside without opening.							•			•					•				
Accessory Box Plastic accessory box for all of your accessories and supplies.(The design	Silent Running Urethane Wheels Smooth and silenturethane wheels with easy glide bearings.	2:	•	•																
wide Urethane Casters	Durability is unsurpassed. Big Shoulder Paid	t	•	•	•	•														
Heavy loads roll smoothly.	OPTION Featuring thick sponge padding to help reduce pressure on shoulder and back.				•				-											
Curved Shoulder Pad 8-mm thick. The Curve fits the shoulder like a	Standard Shoulder Pad Made of non-slip rubber	16				•	•	•												
glove.	for added support.	13												•	•					
Shoulder Strap Easy to attach hook. (attachable to B17-220 only.)	Attachment Belt OPTION for B17-220															•				
	Easy to attach B17-220 to the cart handle.	*														OP				
Urethane OPTION Front Wheel Attaches to carts, made of smooth and silent	Pulling Strap OPTION Easy to attach hook.	5	ОР	OP	OP	OP	OP													
Deluxe Pulling Strap	Double Zipper																			
OPTION Firm rubber handle for easy pulling.	For more packing flexibility in any situation.		OP		OP			•		OP		P				•			•	
YKK Zipper World famous fasteners				•	•	•										•				
														OP	Opt	ons S	Sold S	Separ	ately	









Curved Shoulder Pad

Features

Curved Shoulder Pad





B17-1280

 ${\sf Dimensions:W700\times D240\times H240mm}$

Materials: 1680D Polyester



Features




















Dimensions : W420×D320×H360mm Materials: 1680D Polyester, Embossed PVC



t



















B17-440

Dimensions: W430×D230×H230mm

Materials: 1680D Polyester































B17-580

Dimensions : W400×D320×H360mm Materials: 1680D Polyester



Features





















See-Through

B17-220











Options

















Black











Dimensions: W230×D220×H540mm Materials : 1680D Polyester







Black



B17-300P

Dimensions : W270×D95×H190mm

Materials: 1680D Polyester

Features

























B17-360NP

Dimensions: W260×D200×H120mm

Materials : PU Enamel

Features









Dimensions : W500×D265×H690mm Materials : Duralumin

•Available by order







Dimensions : W450×D260×H500mm Materials : Duralumin

·Available by order









Shoes DIY Parts for NV-4/NV-3/NV-KID S-1500W/S-1230/S

S-1500W/S-1230/S-950/S-570



Velcro Lined. Cut to the sole of your shoe.



Teflon

90×130mm



Felt

180×130mm



Chrome Leather

180×130mm



Deer Skin

180×130mm



Micro Leather

180×130mm



Back Skin

180×130mm



Oiled Nu-buck

180×130mm

Cleat Type Slide Parts for NV-3







3 Chrome Leather







L 25.0 ~ 26.5 L 25.0 ~ 26.5 **7** LL 27.0 ~ 28.0 (cm) holes



 $\textbf{L}~25.0\sim26.5$ LL 27.0 ~ 28.0 (cm) holes



DIX Cleat Type Slide Parts for NV-4





3 Chrome Leather



4 Deer Skin







7 Oiled Nu-buck

Slide Cleats

Velcro lined. Set of 7 pcs. Use with Cleat Type Slide Bases.



D.I.Y.













D.I.Y. **Slide Heels**

Velcro lined.



Flat Hard



Flat Normal



Groove Soft



Wave Soft



Back



Oiled Nu-buck

S 22.0 \sim 22.5 M 23.0 ~ 24.5 L 25.0 ~ 26.5 LL 27.0 ~ 28.0

Less Slide



More Slide















TRICOLOR

S 22.0 \sim 24.5 M 25.0 ~ 26.5 $L \quad 27.0 \sim 28.0$ LL $29.0 \sim 30.0$



Rubber

D.LY. Toe Cap w/ Kevlar

Left or right.

S 22.0 ~ 23.5 **M** 24.0 ~ 25.5 **L** 26.0 ~ 27.5 $\textbf{LL} \ 28.0 \sim 30.0$





S 22.0 ~ 22.5 M 23.0 ~ 24.5 $L \quad 25.0 \sim 26.5$ LL 27.0 ~ 28.0

Velcro lined.

D.I.Y. Kick Heel



D.I.Y. Rubber for **NV-KID**

22.0-22.5 / 23.0-23.5 / 24.0-24.5 25.0-25.5 / 26.0-26.5 / 27.0-27.5 28.0-(7sizes)



Shoe Bag

390×330mm






KANGAROO SHOES



Materials : Ultra-Fine Kangaroo Leather, EVA, Rubber, Velcro



Accessories



Slide Base



Slide Heel









Black/Black White/Silver EE

KANGAROO SHOES



Materials: Kangaroo Leather, EVA, Rubber, Velcro

		20.0	21.0	22.0	22.5	23.0	23.5	24.0	24.5	25.0	25.5	26.0	26.5	27.0	27.5	28.0	28.5	29.0	29.5	30.0
Black/Black	Right	_	_	0	0	0	0	0	0	0	0	0	0	0	0	0	_		_	_
Black/Black	Left	_	_	0	0	0	0	0	0	0	0	0	0	0	0	0	_		_	_
M/hito/Silvor	Right	_	_	0	0	0	0	0	0	0	0	0	0	0	0	0	_		_	_
White/Silver	Left	_	_	0	0	0	0	0	0	0	0	0	0	0	0	0	_		_	_





Slide Base



Slide Heel
















Materials: Kid Leather, Velcro, Suede Leather











Materials: Fine Microfiber, Soft EVA, Velcro







S-1230

Materials: Fine Microfiber, Soft EVA, Velcro

		20.0	21.0	22.0	22.5	23.0	23.5	24.0	24.5	25.0	25.5	26.0	26.5	27.0	27.5	28.0	28.5	29.0	29.5	30.0
Righ	Black/Silver	_	_	_	_	_	_	_	0	0	0	0	0	0	0	0	_	0	_	0
& Left	White/Silver	_	_	0	0	0	0	0	0	0	0	0	0	0	0	0	_	_	_	_

Accessories













TRICOLO





S-950

Materials : PU, PU Enamel, Soft EVA, Velcro



Black/Silver Black/Wine











23







Black/Black



Materials : PU

		20.0	21.0	22.0	22.5	23.0	23.5	24.0	24.5	25.0	25.5	26.0	26.5	27.0	27.5	28.0	28.5	29.0	29.5	30.0
	Black/Black	_	_	0	0	0	0	0	0	0	0	0	0	0	0	0	_	0	_	0
Right	Black/Silver	_	-	0	0	0	0	0	0	0	0	0	0	0	0	0	_	_	_	_
only	White/Aqua	_	_	0	0	0	0	0	0	0	_	_	_	_	_	_	_	_	_	_
	White/Red	I_										_		_	_	_		_	_	_

Air Vents

Right Only

White/Red





Materials : Pl	J

		20.0	21.0	22.0	22.5	23.0	23.5	24.0	24.5	25.0	25.5	26.0	26.5	27.0	27.5	28.0	28.5	29.0	29.5	30.0
White/Silver	Right	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
vvilite/ Sitvei	Left	_	_	0	0	0	0	0	0	0	0	0	0	0	0	0	_	_	_	_
Plack /Plack	Right	_	_	0	0	0	0	0	0	0	0	0	0	0	0	0	_	0	0	0
Black/Black	Left	_	_	0	0	0	0	0	0	0	0	0	0	0	0	0	_	_	_	_
)A/(-1) - /A DI	Right	_	_	0	0	0	0	0	0	0	0	0	0	0	0	0	_	_	_	_
White/Aqua Blue	Left	_	_	0	0	0	0	0	0	0	0	0	0	0	0	0	_	_	_	_
White/Pink	Right	_	_	0	0	0	0	0	0	0	_	_	_	_	_	_	_	_	_	_
White/Orange	Right	_	_	0	0	0	0	0	0	0	_	_	_	_	_	_	_	_	_	_

GLOVES

Speed Dialer

Allows for a 3 way adjustment for quick changes on the lane. Simply turn the dialer clockwise to the required position. Adjustments can be as small as 1/10 of a millimeter.

Bellow the Axis Tilt (Right/Left angle) position adjustment for use in setting the Axis Tilt.

Velcro Wrist Belt

The super soft, thin, durable, high quality leather belt. Easily set by hook & loop



Robo Wrist®


(Japan PAT. 3259841)

Stainless

Materials: Super light weight, Heavy duty, Reinforced duralumin.

Features: Finger and wrist support.









Black/Silver





New compact body allows for more release options.



Single sided wing provides added flexibility.



Pearl White

Robo Wrist®

Short Model (Japan PAT. 3259841)

Materials: Super light weight, Heavy duty,

Reinforced duralumin. Features: Compact and wrist support.



Finger Support

One touch detachable finger tip (EVA Rubber is 2.5mm thick for added support).

Velcro Palm Belt

Hook and loop fasteners on both sides allow the belt to be adjusted to fit the plam perfectly. Super soft, thin and durable.

> The spring acts as a lock to ensure the setting.

> > Adjustable Finge





Gold Finger (Right hand only)



(Right hand only)

Size: Small: 22cm, Regular: 23cm, Large : 25cm

Replacement Palm belt Easy use velcro

Size : Small : 28 cm Regular : 30 cm Large: 33 cm (Right hand only)

Replacement Wrist belt Easy use velcro

Size : Small : 30 cm Regular : 32 cm Large : 35 cm

Specs	Hand	Stainless	Wine Red	Black/Silv	biu _K	Gun Meta	h. Pearl White
Small	R	•	•	•	×	×	×
W100×D50×H250mm 235g Stainless 275g	L	×	•		×	×	×
Regular	R				×	×	×
W100×D50×H290mm 265g Stainless 300g	L	•	•	•	×	×	×
Large	R	•	•	•	×	×	×
W100×D50×H290mm 265g Stainless 310g	L	×	×	×	×	×	×
Short Model: Small	R	×	×	×	•	•	•
W100×D50×H220mm 210g	L	×	×	×	×	×	×
Short Model: Regular	R	×	×	×	•	•	•
W100×D50×H250mm 230g	L	×	×	×	×	×	×
Gold Finger:	R	•	×	×	×	×	×
Small/Regular/Large	L	×	×	×	×	×	×





Pro Wrist

Sizes: XS, S, M, L, XL (R/L)

Materials: Soft PU, Aluminum Plate
Features: Compact wrist support.









other ABS gloves for added support.

gloves for added support and comfort.

TAPES



Fitting Tape F-1 25

U/I: 12 pcs.

Dimensions: 25mm×4M



Fitting Tape F-1 50

U/I:6 pcs.

Dimensions: 50mm×4M

Features: Cotton thin tape. Protects fingers.



Fitting Tape F-2 25

U/I: 12 pcs.

Dimensions: 25mm×4M



Fitting Tape F-2 35

U/I:6pcs.

Dimensions: 35mm×4M



Fitting Tape F-2 50

U/I: 6 pcs.

Dimensions: 50mm×4M

Features: Sweat proof. Cotton.

Very smooth surface. Protects fingers from cuts.



Fitting Tape F-3N 25

U/I: 12 pcs.

Dimensions: 25mm×4M



Fitting Tape F-3N 50

U/I:6 pcs.

 $\textcolor{red}{\textbf{Dimensions}:50} \text{mm} \times 4 \text{M}$



Fitting Tape F-4 25

U/I: 12 pcs.

Dimensions: 25mm×4M



■ Fitting Tape F-4 50

U/I:6 pcs.

Dimensions: 50mm×4M

Features: Rough texture gives adhesiveness to its surface and provides maximum grip.



Features: Strong adhesion and easy to remove from fingers.




Black

ABS Brand Tape

U/I: 12 pcs.

Dimensions: 25mm×4M









TO TRACE DOCUMENTS AND THE PARTY OF THE PART

25mm×5M: Beige 50mm×5M: Beige

Kinesio Tape

(Breathable Elastic.)
U/I: 25mm:Box of 12 rolls.
50mm:Box of 6 rolls.
Materials: Elastic, Adhesive Cotton


Hilate Tape

U/l: 25mm:12 rolls ea. 50mm:6 rolls ea. Materials: Elastic,Adhesive Gauze Features: Prevents blisters,sores,and cuts.



25mm×5M 50mm×5M





U/I: 24 packs (5 pcs ea.)

Features: Elastic, Silicone, Adhensive cotton



Stik Tape

U/I: Display box of 24 rolls ea.
Features: For adjusting finger hole size.



Thumb Insert IT-1

U/I : Box of 12 pkgs (12 pcs ea.) Dimensions : 19×50 mm

Materials : Teflon

Features : Adjusts for a smoother,faster, and cleaner release.










High Quality Insert Tape

U/I: 12 packs (30 pcs ea.) Sizes: 1",1/2",3/4"

Features: Adjusts thumb hole.







Thumb Cushion

U/I: 24 packs (2 pcs ea.) Sizes: 1 size

Features: For maximum grip.





Insert Tape (by USA Master)

U/I: 24 packs

Sizes: 1",1/2",3/4"

Features: Adjusts thumb hole.







Insert Tape Super Textured (by USA Master)

U/I: 12 packs

Sizes: 3/4"

Features: Adjusts thumb hole.





Turbo Shur Hook Cork Tape

U/I: 40 packs

Features: For better hook control and release.



Turbo Shur Out Tape Strips

U/I:40 packs

Features: For quick clean release.



Turbo Shur Cushions (1/8)

U/I:20 packs

Features : For the perfect fit.





U/I: 20 packs

Features: For the perfect fit.

Made in Finland

Abralon is superior sanding and polishing product for bowling ball surface applications. Used to achieve extremely fine polished surfaces with minimal effort.

Abralon has the following features: Combines benefits of abrasive cloth and non-woven products. Constructed with a fabric face, foam center and hook & loop backing. Openings in fabric allow water and air to flow freely around the abrasive.

Works especially well when sanding contoured surfaces and sharp edges. Open cell design holds large amount or water for lubrication and cooling. Foam center provides for even surface pressure, eliminates "finger marks" when hand sanding.



Available in 180, 360, 500, 600, 1000, 2000 and 4000 grit.



Hand Conditioner

U/I: Box of 12 ea.

Features: Keep hands dry providing continuous control



U/I: Box of 12 ea.

Features: Provides extra grip even on the most humid days.



Master Rosin

U/I: Box of 12 ea. Features: Get a grip with compact rosin bags.



Puff Ball

U/I: Box of 12 ea.

Features: Keep hands dry and in control.



Skin Patch

U/I: Box of 24 ea. Net.: 1/4 oz (7.4ml)

Features: Liquid bandage to protect fingers & nails.



Giant Skin Patch

U/I: Box of 24 ea. Net.: 3/4 oz (22.2ml)

Features: Liquid bandage to protect fingers & nails.



Ultra Bond

U/I:6 units

Net.: 50g (approx.1.76 oz) Features: Versatile adhesive for inserts.



Shoe Slide

U/I: Display box of 20 pkgs ea. Features: Elastic, silicone, Adhesive cotton.







Approach Powder

U/I: Box of 12 ea.

Features: Increases a bowler's approach slide.



Finger Grip Remover

U/I:63/64,7/8

Features: Removes finger inserts.



- S: Full length 160mm, Blade length 70mm Blade width 5mm (Maximum part)
- M: Full length 180mm, Blade length 90mm Blade width 7mm (Maximum part)
- L: Full length 200mm, Blade length 70mm Blade width 9mm (Maximum part)



Wire Brush

U/I: Box of 6 ea.

Features: Removes dust and dirt from shoe soles.

Bevel knife

U/I:6 units Size: S, M, L

Features: To adjust hole size.

BOWLING SUPPORT SOX (TABI)

U/I: 12 pairs.

U/I: 120 pairs.

Materials: Cotton, Polyester

Features: Mesh top, for added ventilation


Materials: Polyester, Cotton, Nylon, polyurethane

Size: S (23.0-25.0 cm) M (25.0-27.0 cm) L (27.0-29.0 cm)











Arang alm R

Shoe Cover

U/I: 12 pairs.

U/I: 120 pairs.

Materials: Cotton, Polyester

Features: Lightweight and absorbent

Features: Protects your shoes off the lane.

Size: M (~24.5 cm) L (25.0cm~27.5 cm) LL (28.0 cm~)

ABSOLUTE CLEANER

ABSolute Cleaner

ABSolute Cleaner removes lane oil and dirt from the ball's surface.

U/I: 12 units



ABSOLUTE REMOVER

ABSolute Remover

ABSolute Remover revives the bowling ball to its original condition by removing oil that has soaked into the coverstock and dirt / grime from the ball's surface.

U/I: 12 units



ABSOLUTE CLEANER

mousse type

ABSolute Remover mousse type

ABSolute Cleaner removes lane oil and dirt from the ball's surface.

U/I: 12 units



ABSOLUTE BALL WIPER



- Pre moistened with detergent for powerful cleaning on contact.
- · Durably made and torn resistant.
- Unscented deodorization.
- East to carry in compact pouch.
- · Environmentally friendly and soft on hands.
- · Nonflammable.



ABSolute Ball Wiper

U/I: 1case / 24 units Sheet size: 170×200mm

ABSOLUTE QUICK WIPER







ABSolute Quick Wiper

U/I: 1case / 10 units Sheet size: 170×215mm

Bowl Clean

U/I: 12 units Features: Removes stubborn dirt preventing deterioration.



U/I:12 units Features: Cleans and maintains ball surface. Limits oil absorption and reduces dirt buildup. Increasing performance and longevity.

Oil Removal Cleaner

ION POWER S effectively removes oil and dirt from the surface of bowling balls on contact.

This water soluble cleaner contains strong working alkaline ion water for powerful oil and dirt absorption that helps revives ball performance.

Ion power S **Spray**

U/I: 1case / 24 bottles (100ml) 1case / 12 bottles (200ml)

Ion power S **Foam**

U/I: 1case / 12 bottles

Ion power S Refill

U/I: 1case / 12 bottles







Foam (200ml)



Refill (500ml)

ABS Hydraulic Drilling Machine

High Quality Research in Japan.

Researched, Developed, Manufactured and Constructed

Increased grip capability with Hydraulic clamping! By World's First holding the ball in a fixed position, the instability during drilling through different mass, and for double hole drilling is dramatically improved.

Zero control can be adjusted easily with Laser **Increased Control** Assist and minor adjustments to a drilling position (i.e. Grip Center).

ABS Hydraulic Clamping System Keeps the drill area free, with a tight hold World's first hydraulic clamping system for bowling balls. Instable ball clamps Hydraulic cause inaccurate drilling. Clamping System Unstable ball while drilling can result A smooth drilling, with a clean in a larger hole and a rough drill surface. Uses a LM Guide to ssist the driller assistance on x and Laser Light Assist y co-ordinates)

ABS Hydraulic Drilling Machine

Quantity: 1 machine

Size: H1751×W650×D850 (excluding drill-bit tray)

Weight: 380kg Power Supply: AC100V

Energy Consumption: 50Hz 30A, 60Hz 29A (Including 14A Vacuum) Accessories: Series of Drill Bits (Made in Japan) Drill Bit Removal Tool

Center Removal Tool Instruction Manual

Additional Options





Drill Bits (Made in Japan)

Ouantity: 1 Bit

Sizes: 1 1/4", 1 1/8", 63/64", 31/32", 7/8"





Digital Scale System

Digitally display for forward/reverse, and left/right pitches and drill depth can be added.


Enabling for more precision in your drilling.

Scales can be set in inches, millimeters or fractions.

Fractions can be set displayed in 1/16, 1/32 and 1/64.

Parallel XY pitch and Z Pitch sensor + Magnetic Tape.

Please Note: This system can only be applied after calibration of the machine. It cannot be applied before shipment.



Ball Clinic Bowling Ball Maintenance.

Our ball resurfacing machine, BALL CLINIC, will sand and polish balls to almost any surface the user wishes. A quick process which also removes the risk of uneven sanding. The embedded Ball Refresh full course,

will remove ball track and scratches. The removal of

scratches will depend on their depth.





Ball Maintenance with the ease of a Vending Machine

- Fully compatible with house balls.
- Cleans the surface of dulled balls.
- Attractive and appealing to bowlers.


ABS Ball Clinic

Quantity: 1 Machine


Size: H1350×W800×D720 mm

Weight: 210 kg Power: Supply AC100V Current: Max. 13A (Ave. 8A)

Accessories: Clean Brush, Green Mesh, Fine Mesh, Yellow Diamond Sheet, Grip Roller









Ball Clinic Accessories



Clean Brush U/I: 1 Brush



Yellow **Diamond Sheet** U/I:1 Pad



U/I: 1 Set of 5 Pads



Fine Mesh Strips U/I: 1 Set of 15



Grip Rollers U/I: 1 Set of 4 Rollers



3M Finishing Compound U/I:1 gallon

ION POWER OIL REMOVER

Revive your ball!

ION POWER OIL REMOVER

Quantity: 1 Machine Size: H350×W480×D350 mm

Weight: 4.0kg Power: Supply AC100V 1A





ION POWER 1500

U/I:1 Box (20L)



ION POWER 2000



U/I:1 Box (20L) U/I:1 Bottle (4L)





Cleaning Effect of strong alkaline ion water

Soap Effect



Alkaline ion water contains properties which help dissolve dirt, creating a detergent like effect on stubborn oil and debris.

Absorption and Osmotic Swelling Efects

The Strong alkaline ion water efficiently absorbs and pulls dirt and oil to the surface of the bowling ball.



Separation Effects

The negative ion in the alkaline ion water absorbs the positive ions in the oil and dirt; and separates the debris form the surface of the



Emulsion and Dispersion Effects

The strong alkaline ion water disperses and emulsifies the oil and dirt, for efficient cleaning



ABS Plug Cutter Light & Easy to use

POWER

•Quiet and powerful 4.4 AMP motor for improved performance. No load speed of 26,000 RPM for ultra-smooth cutting. · Electronic speed control maintains constant speed under load.

·Simple and efficient base lock system

COMFORT

increases productivity. ·Thumb roller for fine cutting depth adjustment.

securely fastens the base and

·Ergonomic, slim (2-3/8") body style for comfort and control.

·Soft start feature for smooth

start-ups.

ACCURATE

·Built-in shock-proof, high output, white L.E.D. light illuminates cutting edge and increases visibility with a bulb that never needs replacing throughout the life of the tool.

DURABILITY

·Tough Polycarbonate clear cover for long lasting protection.



Quick Release Clamp



Vacuum Hose Adaptor



Convenient Power Switch LED Lights







Measuring Ball (by USA Jayhawk)

U/I:1 unit

Features: Scales the span, hole sizes, and pitch.

· Available by order

Features: High-performance and low-cost polishing machine.

Motor: 0.2HP, 100V 50/60Hz

·Available by order



The Determinator (by USA Jayhawk)

Features: Detect the Mass Bias and spin time.



Holtzman Ball Balance Scale (by USA Jayhawk)

U/I:1 unit



Hand Grinder (by USA Master)

U/I:1 unit

Features: Use with sanding discs for sanding holes.

Includes: 50(#120)sanding discs.

U/I: 100pcs. Features: Use with Master Hand grinder.

Hand Grinder (by USA Dumore)

U/I:1 unit

Features: Use with grinding stones. Grinding stones are not included.

· Available by order



HD, HR Custom Color Kit

U/I: Set of 12 (3/4 oz per bottle) Features: Full Line-up of colors.



Plug Color

U/I: 1 bottle (2 oz per bottle) Features: Great deal at a reasonable price.



HR Plug Kit

U/I:1 set (1/2 gal. per bottle) Features: Set of 1 bottle of hardener and 3 of compound.

Also sold separately in single bottles.



HD, HR Pump Kit

U/I: 1 set (2 pumps)



Ball Fitter Original

U/I:1 gauge

Features: Accurately measures the hole sizes, span, the side pitch of thumb hole.




Ball Fitter Swoval

U/I:1 gauge

Features: Easy to accurately measure the hole sizes, span, the side pitch of thumb hole.

·Available by order



POWER HOUSE Ultra Safe Dams

U/I: Circle: 150 pcs., Oval: 100 pcs.

Features: Avoids messy clay while plugging.



Pitch Gauge

U/I: 2 gauges (blue & red) Features: Measures the pitch after drilling.



Jayhawk Axis Reversing Tool

U/I:1 gauge

Features: Find a centerline from a bowler's axis point in one easy step!

- · Eliminates the need to use a quarter-scale for layouts.
- · Create layouts faster, more accurately, and fewer lines.



U/I:1 gauge

Features: Indicates degree of angle for thumb.

- · Easy to read ruler spans, full diameter of the ball.
- · Assures accurate ball layouts.



Span Gauge

U/I:1 gauge

Features: Measures the span in inches.



T Gauge

U/I:1 gauge



Hexagonal Ball Base

U/I: 10pcs. Materials: Plastic



Yellow Marking Pencils

U/I: 1 dz. (12 pct.) Uses: Ball Marking.



Shoe Refresh

U/I: 24 cans

Features: Anti-bacterial shoe deodorizer.





Duramax Magnaglide Approach Conditioner

U/I: 6 bottles(32oz/946ml per bottle) Features:

Reduces friction on the approach and improve shoe slide. Convenietly packaged in 32oz spray bottles so no refilling is necessary



Approach Power

U/I:6 bottles (1 liter per bottle)

Features: Increases a bowler's approach slide.





Ball Cleaner

U/I:6 bottles (1 liter per bottle) Features : All purpose ball cleaner.





Bowl Clean

U/I: 6 bottles (1 liter per bottle)

Features: Removes stubborn dirt preventing deterioration.





Diamond Compound

U/I:1 bottle (32oz/946ml per bottle)



POWER HOUSE Power Wash

U/I:1 bottle (32oz/946ml per bottle)



POWER HOUSE Factory Polish

U/I:1 bottle (32oz/946ml per bottle)



POWER HOUSE Extender Polish

U/I:1 bottle (32oz/946ml per bottle)



GRIP LOC















Inner Sleeves



Color	Blue	Gray	Black	Plum	Lime	Fluorescent Blue	Fluorescent Pink	Fluorescent Green	Fluorescent Orange	Fluorescent Yellow
Size	3/4	49/64	25/32	51/64	13/16	53/64	27/32	55/64	7/8	57/64
Color	Fluorescent Red	Fluorescent Purple	Teal	Yellow	Cranberry	Green	Midnight Blue	Red	Orange	White















Outer Sleeves

Removal Tool

Depth Gage

Large Outer Sleeves

Drill Stop Ring

Tite Grip Glue

















Half & Half







White









Thumb Plug

U/I: 10pcs.

Sizes: 1 1/8,1 1/4"(no holes) 13/8" (Solid White, Black)













White/Pink



Yellow/Orange







Thumb Plug

U/I: 10pcs. Sizes: 1 1/8,1 1/4"(no holes)





White Tip U/I: 10pcs.



Lady's Tip
U/I: 10pcs.



Semi Cerise / Lady's Lady's Semi Cerise

	_			_	_	_	
l	J	/[·	10	Or	oc	s.

	outer dia		19/32	5/8	21/32	11/16	23/32	3/4	25/32	13/16	27/32	7/8
White Tip	1"		0	0	0	0	0	\circ	0	0	0	0
Lady's Tip	7/8"	inner dia:	0	0	0	0	0	\circ	0	0	-	_
Semi Cerise	1"	each 1/32	0	0	0	0	0	0	0	0	0	0
Lady's Semi Cerise	7/8"	.,52	0	0	0	0	0	0	0	0		_



Minute Grip

U/I: 10pcs.



Power-SBU/I: 10pcs.
Material: Urethane



Ice Grip

U/I: 10pcs.
Material: Urethane



Ice Grip Ladies

U/I: 10pcs.
Material: Urethane

	outer dia		17/32	35/64	9/16	37/64	19/32	39/64	5/8	41/64	21/32	43/64	11/16	45/64	23/32	47/64	3/4	49/64	25/32	51/64	13/16	53/64	27/32	55/64	7/8	29/32
Minute Grip	1"		_	-	_	-	0	0	0	0	0	0	0	0	0	0	\circ	0	0	0	0	0	0	0	\circ	-
POWER-SB	31/32"	inner dia:	_	_	_	_	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0*	0*	_	0*	0*
Ice Grip	31/32"	each	_	_	_	_	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0*	0*	_	0*	0*
Ice Grip Ladie's	7/8"	1/64	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	_	_	_	_	_	_	_	_	_

※ outer dia is 1 ⋅ 1/32"





ABS House Balls



House Ball

Material: Urethane Weight: 5-16 lbs Notes : Drilling included

House Ball

Material: Urethane Weight: 5-16 lbs Notes: Drilling included



Second RS-450

Materials PU synthetic leather/PVC, PU, PU felt, Hard rubber, sponge EVA



Available sizes

		14	14.5	15	15.5	16	16.5	17	17.5	18	18.5	19	19.5	20	20.5	21	21.5	22	22.5	23	23.5	24	24.5	25	25.5	26	26.5	27	27.5	28	28.5	29	29.5	30	30.5	31	31.5	32
Black /	Red	0	×	0	×	0	×	0	×	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	×	0	×	0



Materials: PU synthetic leather/PVC, PU, PU felt, Hard rubber, sponge EVA





Available sizes

	16	16.5	17	17.5	18	18.5	19	19.5	20	20.5	21	21.5	22	22.5	23	23.5	24	24.5	25	25.5	26	26.5	27	27.5	28	28.5	29	29.5	30	30.5	31	31.5	32
Black	0	×	0	×	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	×	0	×	0
Blue	0	×	0	×	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	×	×	×	×



RS-300

Materials: PU synthetic leather/PVC, PU, PU felt, Hard rubber, sponge Nylon mesh EVA





Available sizes

	16	16.5	17	17.5	18	18.5	19	19.5	20	20.5	21	21.5	22	22.5	23	23.5	24	24.5	25	25.5	26	26.5	27	27.5	28	28.5	29	29.5	30	30.5	31	31.5	32
Purple	0	×	0	×	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	×	×	×	×
Blue	0	×	0	×	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	×	0	×	0



Kegel Lane Maintenance Machines&Chemicals (1509001)

ABS is the exclusive distributor for Kegel products in Japan and the largest worldwide.



KEGEL is the official USBC lane maintenance provider. ..











Over 600 machines sold since the Sanction Technology series was released. **Reliance** 24 hour technical telephone assistance available (In Japanese). We are working to improve machine performance and customer satisfaction.





CONDITIONING

- DUO conditioning system. (two pumps and two conditioner cartridges)
- DUO transfer system.
- Two pre-filled/refillable conditioner cartridges that allow for separate forward and reverse oiling.
- · Ability to use two conditioners in one pass.
- Adjustable microliter streams. (per load setting)
- Conditions each lane in less than 90 seconds.
- Conditioner float switches with low level warning message.
- Board-to-board pattern control.
- "Oil Only" function.
- · Touchscreen control of oil pump calibration.
- Measure conditioner volume before applying to lane.

CLEANING

- Squeegee cartridge for easy replacement of blades.
- Sprayless cleaning system.
- · Ability to monitor and adjust cleaner output.
- Cleaner float switches with low level warning message.
- Large waste recovery tank. (50+ lanes before emptying)
- Duster/cleaning cloth waste roll on top for easy removal.
- · Patented cushion roller wrap for better cleaning.
- Super quiet DC vacuum motor.
- · "Clean Only" function.
- "Dust Only" function.
- Touchscreen control of cleaner pump calibration.

DRIVE

- · Patented six variable drive speeds.
- Independent adjustable cleaning speed.
- Self-adjusting drive speeds.
- · LED arrow for better operator positioning.

TOUCHSCREEN/PLC

- Full color 5" touchscreen display.
- Three programs for both AM and PM.

BLACK

- Stores 30 programs in memory.
- Test input/output menu option.
- · Full detailed error messages with help screens.

FLEX WALKER

- · Zero Turn Radius lane to lane walking function.
- Auto-aligning lane whiskers.
- Smart processor auto-align memory.

BLUE

- · Object detection.
- · Automatic burn pair.

FLEX



- Each machine comes with our new K2 EnergyR lithium battery.
- Upgrade to larger battery based on number of lanes conditioned per day.

RED



158-1634** 40 lanes



158-1634B 62 lanes



158-1634C 90lanes

- * Factory upgrade. (must be installed at time of purchase)
- ** All FLEX Machines Sold by ABS come standard with battery 158-1634B.



IKON

- Sanction Technology Conditioning System with forward and reverse capabilities.
- The popular and easy to maintain DUO Transfer System enhances the smoothness of the pattern and allows for easy pattern changes.
- · Sprayless Cleaning System No overspray in the gutters.
- The onboard PLC uses a 3.5 inch color touchscreen which makes it easy to monitor and adjust machine settings.
- The IKON PLC holds 15 oil patterns of your choice.
- · Choose from 3 different size Lithium Ion batteries based upon your bowling center's needs or number of lanes ran per day.





SPECTO



SPECTO

Specto is a new tracking system for centers, bowlers, and coaches. It records information about bowlers' shots using a high-power sensor and displays it to them on an easy-to-use app.

Simply order a Specto system and allow your bowlers to use your Specto Lanes. Your bowlers will easily be able to connect to the Specto app to view their stats, perform practice drills on their own, or compete in challenges with friends and bowlers worldwide. This fun tool can help bowlers improve and create a buzz in your center.











TORCH

One of the most difficult things for a bowler to do is visualize the ball path from the foul line to the breakpoint. From entry level bowlers to the most advanced, the Torch allows bowlers to see the initial path of the bowling ball like no other product before.

The Torch is a simple light targeting tool used to help with accuracy and alignment. Using LED lights, it reflects a path of light on the lane to help you select the correct launch angle and hit your target time after time. As the player moves left and right, the light will change its position showing you exactly where you should throw the ball.

The Torch was designed to explain the aiming process in a way that can be easily understood by everyone. From children, to beginning bowlers, to special needs bowlers, the Torch is an easy and fun way to quickly improve this important fundamental skill.







Curve

U/I:5 gallons (4 bottles/ 1.25 gal ea.)

Viscosity: 41.0

Surface Tention: 22.0 dyn/cm



Infinity

U/I: 5 gallons (4 bottles/ 1.25 gal ea.)

Viscosity: 36.5

Surface Tention: 23.1 dyn/cm

Features : Designed for maximum Durability.

Best suited for High Linage Centers.



Fire

U/I: 5 gallons (4 bottles/ 1.25 gal ea.)

Viscosity: 45.1

Surface Tention: 23.6 dyn/cm



Prodigy

U/I: 5 gallons (4 bottles/ 1.25 gal ea.)

Viscosity: 31.2

Surface Tention: 23.7 dyn/cm

Features: Virtually eliminates ball calls and out of ranges. Back-end reaction that just won't

go away.



Ice

U/I:5 gallons (4 bottles/ 1.25 gal ea.)

Viscosity: 40.9

Surface Tention: 23.2 dyn/cm



Crossfire

U/I: 5 gallons (4 bottles/ 1.25 gal ea.)

Viscosity: 24.1

Surface Tention: 23.6 dyn/cm

Features: Specifically formulated to optimize wick/pad flow. Works very well with all other wick/pad lane machines.

	Sanctio	n Technology et	C.		Sanction / Wick / Pad	Wick / Pad
	Curve	Fire	Ice	Infinity	Prodigy	Crossfire
Viscosity (22.8°C)	41.0	45.1	40.9	36.5	31.2	24.1
Durabillty					14min* *Time required for allowing m	10min* nachine to absorb oil.
High League Lineage	7	8	10	8	6	7
High Open Play Lineage	10	10	8	6	8	6
Reduced Pinsetter Calls	10	9	9	7	8	6
Cleaning	10	10	10	5	7	8
Carry Down	10	8	8	7	8	9
Lane Surfaces						
Pro Lane™	10	10	9	5	9	8
Anvilane™	8	9	10	9	7	10
AMF HPL™	9	9	10	8	7	8
AMF SPL™	8	8	10	9	7	8
Laneshield®	7	6	8	7	7	10
Guardian®	8	8	10	7	7	7
MAD Lanes®	9	9	10	9	7	9
Wood Finishes						
Water Base	8	8	10	7	5	9
100% Solids	8	8	10	7	5	9

This chat is quoted from Kegel Website.



Defense-CX4S

U/I:1 gallons

Features: Recommended for LOWER friction surfaces like most synthetic lanes.

Provides a spotless lane and delivers stronger ball motion or extra "back-end kick".



U/I: 5 gallons (2 bottles/ 2.5 gal ea.)

Features: The most powerful cleaner on the market.
For use on all types of Synthetic and Wood
Lanes.



Fizzion

U/I: 24 tablets/bag

(5 bags/case = 120 tablets total)
Features: Can be used in all lane

machines. For use on all types of synthetic and wood lanes. Just drop the tablets into water for a perfect mix, every time



K2 Select

U/I: 4 rolls (43" \times 60' per roll)

K2 Cloth

U/I: 4 rolls (43" × 60' per roll)
Features: Duster cloth designed
for easy installation.
A roll works for approx.
450 lanes.



WE ARE THE LARGEST DISTRIBUTOR AND MANUFACTURER OF BOWLING SUPPLIES IN THE FAR EAST.

ABS International Corp.

is the foreign trade division of American Bowling Service, Inc., Japan.



Head Office 1-1-1 Kitamagome, Ota-ku, Tokyo, 143-0021, Japan Fax. +81-3-5718-7122